



Spruce

Revision: 02/10/2025

Page 1 of 11

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1. Product identifier

Spruce

1.2. Relevant identified uses of the substance or mixture and uses advised against

Use of the substance/mixture

Colour, Pigment

1.3. Details of the supplier of the safety data sheet

Company name: Repair Care International
Street: Unit 19, Darwell Park, Mica Close
Place: Amington, Tamworth Staffordshire, B77 4DR
Telephone: 01827 302 517
E-mail: supportuk@repaircare.com
Internet: www.repair-care.co.uk

1.4. Emergency telephone number:

Emergency CONTACT (24 h) GBK GmbH +49/(0)6132 / 84463

SECTION 2: Hazards identification

2.1. Classification of the substance or mixture

GB CLP Regulation

This mixture is not classified as hazardous in accordance with Regulation (EC) No 1272/2008.

2.2. Label elements

GB CLP Regulation

Special labelling of certain mixtures

EUH208 Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.
EUH210 Safety data sheet available on request.

2.3. Other hazards

The substances in the mixture do not meet the PBT/vPvB criteria according to REACH, annex XIII.

SECTION 3: Composition/information on ingredients

3.2. Mixtures

Relevant ingredients

| CAS No | Chemical name | Quantity | | |
|------------|--|--------------|------------------|-------------|
| | EC No | Index No | REACH No | |
| | Classification (GB CLP Regulation) | | | |
| 13463-67-7 | titanium dioxide | | | 45 - < 50 % |
| | 236-675-5 | | | |
| 68920-66-1 | Alcohols, C16-18 and C18-unsatd., ethoxylated | | | 5 - < 10 % |
| | 500-236-9 | | | |
| | Skin Irrit. 2, Aquatic Acute 1, Aquatic Chronic 3; H315 H400 H412 | | | |
| 2634-33-5 | 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one | | | < 0.036 % |
| | 220-120-9 | 613-088-00-6 | 01-2120761540-60 | |
| | Acute Tox. 2, Acute Tox. 4, Skin Irrit. 2, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H302 H315 H318 H317 H400 H410 | | | |

Spruce

Revision: 02/10/2025

Page 2 of 11

| CAS No | Chemical name | | | Quantity |
|------------|--|--------------|------------------|------------|
| | EC No | Index No | REACH No | |
| | Classification (GB CLP Regulation) | | | |
| 55965-84-9 | reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | | | < 0.0015 % |
| | - | 613-167-00-5 | 01-2120764691-48 | |
| | Acute Tox. 2, Acute Tox. 2, Acute Tox. 3, Skin Corr. 1C, Eye Dam. 1, Skin Sens. 1A, Aquatic Acute 1, Aquatic Chronic 1; H330 H310 H301 H314 H318 H317 H400 H410 EUH071 | | | |

Full text of H and EUH statements: see section 16.

Specific Conc. Limits, M-factors and ATE

| CAS No | EC No | Chemical name | Quantity |
|------------|-----------|---|-------------|
| | | Specific Conc. Limits, M-factors and ATE | |
| 13463-67-7 | 236-675-5 | titanium dioxide | 45 - < 50 % |
| | | oral: LD50 = > 5000 mg/kg | |
| 68920-66-1 | 500-236-9 | Alcohols, C16-18 and C18-unsatd., ethoxylated | 5 - < 10 % |
| | | Aquatic Acute 1; H400: M=1 | |
| 2634-33-5 | 220-120-9 | 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one | < 0.036 % |
| | | inhalation: ATE 0,21 mg/l (dusts or mists); dermal: LD50 = > 2000 mg/kg; oral: ATE 450 mg/kg Skin Sens. 1A; H317: >= 0,036 - 100 Aquatic Acute 1; H400: M=1 Aquatic Chronic 1; H410: M=1 | |
| 55965-84-9 | - | reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | < 0.0015 % |
| | | inhalation: ATE = 0,5 mg/l (vapours); inhalation: LC50 = 0,171 mg/l (dusts or mists); dermal: LD50 = 92,4 mg/kg; oral: LD50 = 64 mg/kg Skin Corr. 1C; H314: >= 0,6 - 100 Skin Irrit. 2; H315: >= 0,06 - < 0,6 Eye Dam. 1; H318: >= 0,6 - 100 Eye Irrit. 2; H319: >= 0,06 - < 0,6 Skin Sens. 1A; H317: >= 0,0015 - 100 Aquatic Acute 1; H400: M=100 Aquatic Chronic 1; H410: M=100 | |

SECTION 4: First aid measures
4.1. Description of first aid measures
General information

When in doubt or if symptoms are observed, get medical advice.

After inhalation

Provide fresh air. If breathing is irregular or stopped, administer artificial respiration. Get medical advice/attention.

After contact with skin

After contact with skin, wash immediately with plenty of water and soap. Take off immediately all contaminated clothing and wash it before reuse. In case of skin reactions, consult a physician.

After contact with eyes

Rinse immediately carefully and thoroughly with eye-bath or water. Remove contact lenses, if present and easy to do. Continue rinsing. Consult an ophthalmologist.

After ingestion

Observe risk of aspiration if vomiting occurs. Rinse mouth immediately and drink plenty of water. Get medical advice/attention.

4.2. Most important symptoms and effects, both acute and delayed

No information available.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Spruce

Revision: 02/10/2025

Page 3 of 11

SECTION 5: Firefighting measures**5.1. Extinguishing media****Suitable extinguishing media**

Co-ordinate fire-fighting measures to the fire surroundings.

Water spray jet, Extinguishing powder, Carbon dioxide (CO₂), alcohol resistant foam.

Unsuitable extinguishing media

Full water jet

5.2. Special hazards arising from the substance or mixture

Non-flammable. In case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO₂), Nitrogen oxides (NO_x).

5.3. Advice for firefighters

In case of fire: Wear self-contained breathing apparatus. Full protection suit.

Additional information

Use water spray jet to protect personnel and to cool endangered containers. Suppress gases/vapours/mists with water spray jet. Collect contaminated fire extinguishing water separately. Do not allow entering drains or surface water.

SECTION 6: Accidental release measures**6.1. Personal precautions, protective equipment and emergency procedures****General advice**

Do not breathe dust/fume/gas/mist/vapours/spray. Avoid contact with skin, eyes and clothes.

For non-emergency personnel

Provide adequate ventilation. Use personal protection equipment.

For emergency responders

Wear personal protection equipment (refer to section 8).

6.2. Environmental precautions

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

6.3. Methods and material for containment and cleaning up**For containment**

Stop leak if safe to do so. Cover drains.

For cleaning up

Absorb with liquid-binding material (e.g. sand, diatomaceous earth, acid- or universal binding agents). Treat the recovered material as prescribed in the section on waste disposal.

Other information

Clean contaminated articles and floor according to the environmental legislation.

6.4. Reference to other sections

Safe handling: see section 7

Personal protection equipment: see section 8

Disposal: see section 13

SECTION 7: Handling and storage**7.1. Precautions for safe handling****Advice on safe handling**

Provide adequate ventilation. Avoid contact with skin, eyes and clothes. Do not breathe dust/fume/gas/mist/vapours/spray. Use personal protection equipment.

Advice on protection against fire and explosion

Usual measures for fire prevention. Keep away from sources of ignition - No smoking.

Advice on general occupational hygiene

Take off contaminated clothing and wash it before reuse. Wash hands before breaks and after work. Draw up and

Spruce

Revision: 02/10/2025

Page 4 of 11

observe skin protection programme. Use protective skin cream before handling the product. When using do not eat, drink, smoke, sniff.

Further information on handling

Handle and open container with care.

7.2. Conditions for safe storage, including any incompatibilities
Requirements for storage rooms and vessels

Keep container tightly closed in a cool, well-ventilated place. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

Hints on joint storage

No information available.

Further information on storage conditions

storage stability: >= 36 month(s)

7.3. Specific end use(s)

Colour, Pigment

SECTION 8: Exposure controls/personal protection
8.1. Control parameters
Exposure limits (EH40)

| CAS No | Substance | ppm | mg/m ³ | fibres/ml | Category | Origin |
|------------|-----------------------------------|-----|-------------------|-----------|---------------|--------|
| 1344-28-1 | Aluminium oxides, inhalable dust | - | 10 | | TWA (8 h) | WEL |
| 1344-28-1 | Aluminium oxides, respirable dust | - | 4 | | TWA (8 h) | WEL |
| 1317-65-3 | Calcium carbonate, inhalable dust | - | 10 | | TWA (8 h) | WEL |
| 1317-65-3 | Calcium carbonate, respirable | - | 4 | | TWA (8 h) | WEL |
| 1309-37-1 | Iron oxide, fume (as Fe) | - | 5 | | TWA (8 h) | WEL |
| | | - | 10 | | STEL (15 min) | WEL |
| - | Iron salts (as Fe) | - | 1 | | TWA (8 h) | WEL |
| | | - | 2 | | STEL (15 min) | WEL |
| 1309-37-1 | Rouge, respirable | - | 4 | | TWA (8 h) | WEL |
| 1309-37-1 | Rouge, total inhalable | - | 10 | | TWA (8 h) | WEL |
| 13463-67-7 | Titanium dioxide, respirable | - | 4 | | TWA (8 h) | WEL |
| 13463-67-7 | Titanium dioxide, total inhalable | - | 10 | | TWA (8 h) | WEL |

DNEL/DMEL values

| CAS No | Substance | Exposure route | Effect | Value |
|--------------------------|---|----------------|----------|------------------------|
| 2634-33-5 | 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one | | | |
| Worker DNEL, long-term | | inhalation | systemic | 6,81 mg/m ³ |
| Worker DNEL, long-term | | dermal | systemic | 0,966 mg/kg bw/day |
| Consumer DNEL, long-term | | inhalation | systemic | 1,2 mg/m ³ |
| Consumer DNEL, long-term | | dermal | systemic | 0,345 mg/kg bw/day |
| 55965-84-9 | reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | | | |
| Worker DNEL, long-term | | inhalation | local | 0,02 mg/m ³ |
| Worker DNEL, acute | | inhalation | local | 0,04 mg/m ³ |
| Consumer DNEL, long-term | | inhalation | local | 0,02 mg/m ³ |
| Consumer DNEL, acute | | inhalation | local | 0,04 mg/m ³ |
| Consumer DNEL, long-term | | oral | systemic | 0,09 mg/kg bw/day |
| Consumer DNEL, acute | | oral | systemic | 0,11 mg/kg bw/day |

PNEC values

| CAS No | Substance | Value |
|---------------------------|-----------|-------|
| Environmental compartment | | |

Spruce

Revision: 02/10/2025

Page 5 of 11

PNEC values

| CAS No | Substance | Value |
|--|---|---------------|
| Environmental compartment | | |
| 2634-33-5 | 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one | |
| Freshwater | | 0,00403 mg/l |
| Freshwater (intermittent releases) | | 0,0011 mg/l |
| Marine water | | 0,000403 mg/l |
| Freshwater sediment | | 0,0499 mg/kg |
| Marine sediment | | 0,00499 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | | 1,03 mg/l |
| Soil | | 3 mg/kg |
| 55965-84-9 | reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | |
| Freshwater | | 0,00339 mg/l |
| Freshwater (intermittent releases) | | 0,00339 mg/l |
| Marine water | | 0,00339 mg/l |
| Freshwater sediment | | 0,027 mg/kg |
| Marine sediment | | 0,027 mg/kg |
| Micro-organisms in sewage treatment plants (STP) | | 0,23 mg/l |
| Soil | | 0,01 mg/kg |

8.2. Exposure controls

Appropriate engineering controls

Provide adequate ventilation as well as local exhaust at critical locations.

Individual protection measures, such as personal protective equipment
Eye/face protection

Wear eye protection/face protection.

Hand protection

Wear protective gloves.

Suitable material: NBR (Nitrile rubber)

When handling with chemical substances, protective gloves must be worn with the CE-label including the four control digits. The quality of the protective gloves resistant to chemicals must be chosen as a function of the specific working place concentration and quantity of hazardous substances. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves. Breakthrough times and swelling properties of the material must be taken into consideration.

Skin protection

Use of protective clothing.

Respiratory protection

In case of inadequate ventilation wear respiratory protection.

Thermal hazards

No information available.

Environmental exposure controls

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

Spruce

Revision: 02/10/2025

Page 6 of 11

SECTION 9: Physical and chemical properties**9.1. Information on basic physical and chemical properties**

| | |
|---|---------------------|
| Physical state: | Liquid (Dispersion) |
| Colour: | light brown |
| Odour: | odourless |
| Odour threshold: | not determined |
| Melting point/freezing point: | not determined |
| Boiling point or initial boiling point and boiling range: | 100 °C |
| Flammability: | Non-flammable. |
| Lower explosion limits: | not determined |
| Upper explosion limits: | not determined |
| Flash point: | > 100 °C |
| Auto-ignition temperature: | not determined |
| Decomposition temperature: | > 100 °C |
| pH-Value: | not determined |
| Viscosity / kinematic: | not determined |
| Water solubility: | miscible |
| Solubility in other solvents | not determined |
| Partition coefficient n-octanol/water: | not determined |
| Vapour pressure: | not determined |
| Density: | not determined |
| Relative vapour density: | not determined |
| Particle characteristics: | not applicable |

9.2. Other information

No information available.

SECTION 10: Stability and reactivity**10.1. Reactivity**

No hazardous reaction when handled and stored according to provisions.

10.2. Chemical stability

The product is stable under storage at normal ambient temperatures.

10.3. Possibility of hazardous reactions

No known hazardous reactions.

10.4. Conditions to avoid

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

10.5. Incompatible materials

No information available.

10.6. Hazardous decomposition productsIn case of fire may be liberated: Carbon monoxide, Carbon dioxide (CO₂), Nitrogen oxides (NO_x).**SECTION 11: Toxicological information****11.1. Information on hazard classes as defined in GB CLP Regulation****Acute toxicity**

Based on available data, the classification criteria are not met.

ATEmix calculated

Spruce

Revision: 02/10/2025

Page 7 of 11

ATE (oral) > 2000 mg/kg; ATE (dermal) > 2000 mg/kg; ATE (inhalation vapour) > 20 mg/l; ATE (inhalation dust/mist) > 5 mg/l

| CAS No | Chemical name | | | | |
|------------|---|-------------------|---------|--------------|----------|
| | Exposure route | Dose | Species | Source | Method |
| 13463-67-7 | titanium dioxide | | | | |
| | oral | LD50 > 5000 mg/kg | Rat | Manufacturer | OECD 425 |
| 2634-33-5 | 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one | | | | |
| | oral | ATE 450 mg/kg | | | |
| | dermal | LD50 > 2000 mg/kg | Rat | Manufacturer | OECD 402 |
| | inhalation dust/mist | ATE 0,21 mg/l | | | |
| 55965-84-9 | reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | | | | |
| | oral | LD50 64 mg/kg | Rat | Manufacturer | |
| | dermal | LD50 92,4 mg/kg | Rabbit | Manufacturer | |
| | inhalation vapour | ATE 0,5 mg/l | | | |
| | inhalation (4 h) dust/mist | LC50 0,171 mg/l | Rat | Manufacturer | OECD 403 |

Irritation and corrosivity

Skin corrosion/irritation: Based on available data, the classification criteria are not met.

Serious eye damage/eye irritation: Based on available data, the classification criteria are not met.

Skin corrosion/irritation:

Result / evaluation: Not an irritant. (Rabbit)

Method: OECD 404

Test was carried out with a similar formulation. (By analogy.)

Serious eye damage/eye irritation:

Result / evaluation: Not an irritant. (Rabbit)

Method: OECD 405

Test was carried out with a similar formulation. (By analogy.)

Sensitising effects

Based on available data, the classification criteria are not met.

Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction.

Carcinogenic/mutagenic/toxic effects for reproduction

Germ cell mutagenicity: Based on available data, the classification criteria are not met.

Carcinogenicity: Based on available data, the classification criteria are not met.

Reproductive toxicity: Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Information on likely routes of exposure

Skin contact, Eye contact, oral, Inhalation.

11.2. Information on other hazards
Endocrine disrupting properties

No information available.

Spruce

Revision: 02/10/2025

Page 8 of 11

SECTION 12: Ecological information
12.1. Toxicity

Based on available data, the classification criteria are not met.

The product is not: Ecotoxic.

| CAS No | Chemical name | | | | | |
|------------|---|--------------------|--------|-------------------------------------|--------------|----------|
| | Aquatic toxicity | Dose | [h][d] | Species | Source | Method |
| 13463-67-7 | titanium dioxide | | | | | |
| | Acute fish toxicity | LC50 > 100 mg/l | 96 h | Oncorhynchus mykiss (Rainbow trout) | Manufacturer | OECD 203 |
| | Acute crustacea toxicity | EC50 > 100 mg/l | 48 h | Daphnia magna (Big water flea) | Manufacturer | OECD 202 |
| 2634-33-5 | 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one | | | | | |
| | Acute algae toxicity | ErC50 0,110 mg/l | 72 h | Selenastrum capricornutum | Manufacturer | OECD 201 |
| | Acute crustacea toxicity | EC50 0,643 mg/l | 48 h | Daphnia magna (Big water flea) | Manufacturer | OECD 202 |
| | Acute bacteria toxicity | EC50 23 mg/l () | 3 h | Activated sludge | Manufacturer | OECD 209 |
| 55965-84-9 | reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | | | | | |
| | Acute algae toxicity | ErC50 0,0052 mg/l | 72 h | Skeletonema costatum | Manufacturer | OECD 201 |
| | Acute bacteria toxicity | EC50 7,92 mg/l () | 3 h | Activated sludge | Manufacturer | OECD 209 |

12.2. Persistence and degradability

The product has not been tested.

| CAS No | Chemical name | | | |
|-----------|--|-------|----|--------------|
| | Method | Value | d | Source |
| | Evaluation | | | |
| 2634-33-5 | 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one | | | |
| | OECD 301C | 85 % | 63 | Manufacturer |
| | Moderately/partially biodegradable. | | | |

12.3. Bioaccumulative potential

The product has not been tested.

Partition coefficient n-octanol/water

| CAS No | Chemical name | Log Pow |
|------------|---|--------------|
| 55965-84-9 | reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | -0,71 - 0,75 |

BCF

| CAS No | Chemical name | BCF | Species | Source |
|------------|---|------|--------------------------------|--------------|
| 2634-33-5 | 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one | 6,62 | Lepomis macrochirus (Bluegill) | Manufacturer |
| 55965-84-9 | reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1) | 3,6 | | Manufacturer |

12.4. Mobility in soil

The product has not been tested.

12.5. Results of PBT and vPvB assessment

Spruce

Revision: 02/10/2025

Page 9 of 11

The substances in the mixture do not meet the PBT/vPvB criteria according to UK REACH.

12.6. Endocrine disrupting properties

This product does not contain a substance that has endocrine disrupting properties with respect to non-target organisms as no components meets the criteria.

12.7. Other adverse effects

No information available.

Further information

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil.

SECTION 13: Disposal considerations**13.1. Waste treatment methods****Disposal recommendations**

Do not allow to enter into surface water or drains. Do not allow to enter into soil/subsoil. Dispose of waste according to applicable legislation. Consult the appropriate local waste disposal expert about waste disposal.

Contaminated packaging

Non-contaminated packages may be recycled. Handle contaminated packages in the same way as the substance itself.

SECTION 14: Transport information**Land transport (ADR/RID)****14.1. UN number or ID number:**

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Inland waterways transport (ADN)**14.1. UN number or ID number:**

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Marine transport (IMDG)**14.1. UN number or ID number:**

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

Air transport (ICAO-TI/IATA-DGR)**14.1. UN number or ID number:**

No dangerous good in sense of this transport regulation.

14.2. UN proper shipping name:

No dangerous good in sense of this transport regulation.

14.3. Transport hazard class(es):

No dangerous good in sense of this transport regulation.

14.4. Packing group:

No dangerous good in sense of this transport regulation.

14.5. Environmental hazards

ENVIRONMENTALLY HAZARDOUS: No

14.6. Special precautions for user

No information available.

14.7. Maritime transport in bulk according to IMO instruments

not applicable

SECTION 15: Regulatory information

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**EU regulatory information**

Restrictions on use (REACH, annex XVII):

Entry 75

Directive 2004/42/EC on VOC in paints and varnishes: < 0,1 %

Information according to Directive 2012/18/EU (SEVESO III): Not subject to 2012/18/EU (SEVESO III)

National regulatory information

Employment restrictions: Observe restrictions to employment for juveniles according to the 'juvenile work protection guideline' (94/33/EC).

Water hazard class (D): 2 - obviously hazardous to water

Additional information

Observe in addition any national regulations!

15.2. Chemical safety assessment

Chemical safety assessments for substances in this mixture were not carried out.

SECTION 16: Other information**Abbreviations and acronyms**

Acute Tox: Acute toxicity, hazard category ...

Skin Corr: Skin corrosion, hazard category ...

Skin Irrit: Skin irritation, hazard category ...

Eye Dam: Serious eye damage, hazard category ...

Skin Sens: Skin sensitisation, hazard category ...

Aquatic Acute: Hazardous to the aquatic environment, hazard category: Acute ...

Aquatic Chronic: Hazardous to the aquatic environment, long-term hazard category: Chronic ...

CAS: Chemical Abstracts Service

CLP: Classification, Labelling and Packaging

EU: European Union

GHS: Globally Harmonised System of Classification, Labelling and Packaging of Chemicals

REACH: Registration, Evaluation and Authorization of Chemicals

UN: United Nations

PBT: Persistent, Bioaccumulative, Toxic

SVHC: Substance of Very High Concern

vPvB: very Persistent, very Bioaccumulative

ATE: Acute Toxicity Estimates

BCF: Bio-Concentration Factor

DMEL: Derived Minimal Effect Level

DNEL: Derived No Effect Level

PNEC: Predicted No Effect Concentration

VOC: Volatile Organic Compounds

DIN: Deutsches Institut für Normung e.V. (German Institute for Standardization)

EN: European Standard

ISO: International Organization for Standardization

IUCLID: International Uniform Chemical Information Database

LC50: Lethal Concentration, 50 %

LD50: Lethal Dose, 50 %

LL50: Lethal Loading, 50 %

OECD: Organisation for Economic Co-operation and Development

EC50: Effective Concentration 50 %

EL50: Effect Loading, 50 %

ErC50: Effective Concentration 50 %, growth rate

M-Faktor: Multiplication Factor

NOEC: No Observed Effect Concentration

ADN: Accord européen relatif au transport international des marchandises Dangereuses par voies de Navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland

Waterways)

ADR: Accord européen sur le transport des marchandises Dangereuses par Route (European Agreement concerning the International Carriage of Dangerous Goods by Road)

DGR: Dangerous Goods Regulations

EmS: Emergency Schedules

IATA: International Air Transport Association

IBC: Intermediate Bulk Container

ICAO: International Civil Aviation Organization

IE: Industrial Emissions

IMDG: International Maritime Code for Dangerous Goods

LQ: Limited Quantity

MARPOL: International Convention for the Prevention of Marine Pollution from Ships

MFAG: Medical First Aid Guide

RID: Regulations concerning the International carriage of Dangerous goods by rail

TI: Technical Instructions

Key literature references and sources for data

For abbreviations and acronyms, see: ECHA Guidance on information requirements and chemical safety assessment, chapter R.20 (Table of terms and abbreviations). (v.1.2, 2013)

Relevant H and EUH statements (number and full text)

| | |
|--------|---|
| H301 | Toxic if swallowed. |
| H302 | Harmful if swallowed. |
| H310 | Fatal in contact with skin. |
| H314 | Causes severe skin burns and eye damage. |
| H315 | Causes skin irritation. |
| H317 | May cause an allergic skin reaction. |
| H318 | Causes serious eye damage. |
| H330 | Fatal if inhaled. |
| H400 | Very toxic to aquatic life. |
| H410 | Very toxic to aquatic life with long lasting effects. |
| H412 | Harmful to aquatic life with long lasting effects. |
| EUH071 | Corrosive to the respiratory tract. |
| EUH208 | Contains 1,2-benzisothiazol-3(2H)-one; 1,2-benzisothiazolin-3-one, reaction mass of 5-chloro-2-methyl-2H-isothiazol-3-one and 2-methyl-2H-isothiazol-3-one (3:1). May produce an allergic reaction. |
| EUH210 | Safety data sheet available on request. |

Further Information

The information is based on the present level of our knowledge. It does not, however, give assurance of product properties and establishes no contract legal rights. The receiver of our product is singularly responsible for adhering to existing laws and regulations.

(The data for the relevant ingredients were taken respectively from the last version of the sub-contractor's safety data sheet.)